

## How to Update a Razorcat Floating License Server from V7.x to V8.0

### Abstract

TESSY 4.0 requires both an updating of the Razorcat license server to version FLS 8.0 on your network server and an updating of the license key file. If your company has a valid maintenance contract for TESSY, the person who is responsible for TESSY receives an updated license file automatically. A license for TESSY V4.0 is also valid for all previous versions of TESSY V2.x and V3.x. There are no changes required for older TESSY installations to contact an FLS for TESSY V4.0.

You can download the latest standalone version of the Razorcat license server (for server installations) from

[http://www.razorcat.com/downloads/license\\_server](http://www.razorcat.com/downloads/license_server)

### Table of contents

Abstract .....	1
1 Introduction.....	2
1.1 Deactivating of FLS 7.x .....	2
1.2 Installing of FLS 8.0.....	3

# 1 Introduction


You have to deactivate the FLS 7.x before installing and configuring the FLS 8.0.

## Important Note:


Always run the Floating License Manager (FLM) with explicit administrator privileges in order to start and configure the license server. You can only run one version of an FLS on the same machine.

## 1.1 Deactivating of FLS 7.x

- Start the Floating License Manager (FLM) of TESSY 3.2 with administrator privileges.




- Stop the Floating License Server.  
It can take a few minutes.
- Choose Server|Configure and 'Remove Service from Registry', deactivate Autostart and set Run Local Server 'as Application'.




- Close the FLM.

## 1.2 Installing of FLS 8.0


- Install FLS 8.0 with administrator privileges.
- Start FLM of the License Server 8.0 with administrator privileges.



- Choose Server | Configure and set Run Local Server ‘as Service’, the Port (default: 10000) and Autostart.



- Choose the ‘License Key File’ you had received. Click OK. The FLM is trying to start the license server.
- Choose ‘Info’ to request the status of the FLS.



In case of problems, please contact [support@razorcat.com](mailto:support@razorcat.com).